



CATALOGUE 2025

CONTENTS

06	TCP Smart heating
18	Heating
30	Air care
36	Cooling
40	Decorative bulbs
50	Lighting
70	TCP Smart lighting
76	TCP Smart electrical



TCP SMART HEATING



WATCH VIDEO

TCP SMART BLACK GLASS PANEL RADIATOR

TCP Smart Free-Standing Glass Panel Radiator 2000W radiator with electronic thermostat, voice activation, timer, schedules, and other smart controls via the TCP Smart App.

- **App & Voice Control**
- **Smart Timers & Schedules**
- **2 Heat Settings**
- **Digital Screen**
- **Glass Finish**
- **Anti Frost Mode**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LCD
Anti frost mode	
Over heat protection	
Wall mounted and free standing	
Dimensions	W 830 x D 72 x H 390 MM
Dimensions (with feet)	W 830 x D 240 x H 450 MM
Power	2000 W
Area coverage	20 M²
Voltage / Frequency	220-240 V / 50/60Hz

Colour	Black
Material	Glass
Weight	6.8 KG
IP rating	IP24
Cable length	1.5 M
WiFi	2.4 GHz
Product Code	SMARADGBL2000UK
Barcode	8720039606319



WATCH VIDEO

TCP SMART WHITE GLASS PANEL RADIATOR

TCP Smart Free-Standing Glass Panel Radiator 2000W radiator with electronic thermostat, voice activation, timer, schedules, and other smart controls via the TCP Smart App.

- **App & Voice Control**
- **Smart Timers & Schedules**
- **2 Heat Settings**
- **Digital Screen**
- **Glass Finish**
- **Anti Frost Mode**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LCD
Anti frost mode	
Over heat protection	
Wall mounted and free standing	
Dimensions	W 830 x D 72 x H 390 MM
Dimensions (with feet)	W 830 x D 240 x H 450 MM
Power	2000 W
Area coverage	20 M²
Voltage / Frequency	220-240 V / 50/60Hz

Colour	White
Material	Glass
Weight	6.8 KG
IP rating	IP24
Cable length	1.5 M
WiFi	2.4 GHz
Product Code	SMARADGWH2000UK
Barcode	8720039606333



TCP SMART BLADELESS FAN HEATER BLACK 1500W

TCP Smart Heating and Cooling Fan
Portable 1500W ceramic heater with oscillation,
electronic thermostat, and smart control.

- Instant Heat**
- Schedules & Timers**
- App & Voice Control**
- 2 Heating Modes**
- Digital Screen**
- Wide Angle Oscillation**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Instant heat	
Heat modes	2
Digital screen	LCD
Over heat protection	
Portable	
Dimensions	W 180 x D 180 x H 370 MM
Power	1500 W
Area coverage	8-12 M²

Voltage / Frequency	220-240 V / 50Hz
Colour	Black
Weight	2.2 KG
IP rating	IPX0
Cable length	1.6 M
WiFi	2.4 GHz
Product code	HJAY1089
Barcode	8720039608283



TCP SMART BLADELESS FAN HEATER WHITE 1500W

TCP Smart Heating and Cooling Fan
Portable 1500W ceramic heater with oscillation,
electronic thermostat, and smart control.

- Instant Heat**
- Schedules & Timers**
- App & Voice Control**
- 2 Heating Modes**
- Digital Screen**
- Wide Angle Oscillation**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Instant heat	
Heat modes	2
Digital screen	LCD
Over heat protection	
Portable	
Dimensions	W 180 x D 180 x H 370 MM
Power	1500 W
Area coverage	8-12 M²

Voltage / Frequency	220-240 V / 50Hz
Colour	White
Weight	2.2 KG
IP rating	IPX0
Cable length	1.6 M
WiFi	2.4 GHz
Product code	HJAY1090
Barcode	8720039608177



TCP SMART OIL FILLED RADIATOR BLACK / WHITE 9 FINS 2000W

TCP Smart Free-Standing Oil Filled Radiator 2000W oil-filled radiator with electronic thermostat, voice activation, timer, schedules, and other smart controls via the TCP Smart App.



App & Voice Control



Smart Timers & Schedules



3 Heat Settings



Digital Screen



Portable With Wheels



Black / White

Product Specifications

TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Heat modes	3
Digital screen	LCD
Dimensions	W 410 x D 245 x H 635 MM
Portable with wheels	

Product code	SMAWHOILRAD2000WEX20	SMAWHOILRAD2000WEX20
Colour	Black	White
Barcode	8720039608276	8720039608191

Power	2000 W
Area coverage	20 M²
Voltage / Frequency	220-240 V / 50-60 Hz
Weight	8.7 KG
IP rating	IPX0
Cable length	1.5 M
WiFi	2.4 GHz



TCP SMART OIL FILLED RADIATOR WHITE 11 FINS 2500W

TCP Smart Free-Standing Oil Filled Radiator 2500W oil-filled radiator with electronic thermostat, voice activation, timer, schedules, and other smart controls via the TCP Smart App.



App & Voice Control



Smart Timers & Schedules



3 Heat Settings



Digital Screen



Portable With Wheels

Product Specifications

TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Heat modes	3
Digital screen	LCD
Dimensions	W 485 x D 245 x H 635 MM
Portable with wheels	

Power	2500 W
Area coverage	25 M²
Voltage / Frequency	220-240 V / 50-60 Hz
Colour	White

Weight	9.8 KG
IP rating	IPX0
Cable length	1.3 M (no plug)
WiFi	2.4 GHz
Product code	SMAWHOILRAD2500WEX25
Barcode	8720039608207



TCP SMART TOWEL RADIATOR BLACK / WHITE 500W

TCP Smart Wi-Fi Electric Towel Radiator 500W radiator with 1700 BTU, Delta T 60°C, thermostatic control, voice activation, timer, schedules, and other smart controls via the TCP Smart App.

- **App & Voice Control**
- **Smart Timers & Schedules**
- **2 Heat Modes**
- **IP24**
- **Digital Screen (Twistable)**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Heat modes	2
Digital screen	Twistable LCD
Dimensions	W 500 x D 75 x H 895 MM
Power	500 W

Product code	SMAWHTOWRAIL500W05EW	SMABLTOWRAIL500W05EW
Colour	Black	White
Barcode	8720039609211	8720039608252



TCP SMART TOWEL RADIATOR BLACK 1000W

TCP Smart Wi-Fi Electric Towel Radiator 1000W radiator with 3400 BTU, Delta T 60°C, thermostatic control, voice activation, timer, schedules, and other smart controls via the TCP Smart App.

- **App & Voice Control**
- **Smart Timers & Schedules**
- **2 Heat Modes**
- **IP24**
- **Digital Screen (Twistable)**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Heat modes	2
Digital screen	Twistable LCD
Dimensions	W 500 x D 75 x H 1340 MM
Power	1000 W
Voltage / Frequency	230 V / 50-60 Hz
Colour	Black
Weight	14.7 KG
IP rating	IP24

Cable length	1.3 M (no plug)
WiFi	2.4 GHz
BTU rating 3400 / Delta T 60°C	
Product code	SMABLTOWRAIL1000W10E
Barcode	8720039609716



TCP SMART DOWNFLOW HORIZONTAL

TCP Smart Downflow Wall Heater 2000W – Compact ceramic heater with TCP Smart App, voice control, remote, and scheduling. Ideal for wall mounting in bathrooms and home offices.

- **Instant Heat**
- **App & Voice Control**
- **Schedules & Timers**
- **2 Heating Modes**
- **IP22**
- **Remote**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Instant heat	
Heat modes	2
Digital screen	LCD
Remote control included	
Over heat protection	
Open window detection	
Dimensions	W 450 x D 100 x H 196 MM
Power	2000 W

Area coverage	15 M²
Voltage / Frequency	230 V / 50-60Hz
Colour	White
Weight	2 KG
IP rating	IP22
Cable length	1.6 M
WiFi	2.4 GHz
Product code	SMAWHHEAT2000WHOR705
Barcode	8720039608160



HEATING



TCP BLACK INFRARED CONVECTION HEATER 2000W

TCP 2000W Panel Heater which uses both infrared and convection heating technology. Suitable for both wall mounting and free standing. With weekly programming, a LCD display, and manual controls for efficient heating and convenience.

- **Instant Heat**
- **Weekly Programming**
- **Digital Screen**
- **Temp Settings 5° - 35°**
- **24 Hour Timer**
- **Window Open Function**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LED
Temperature settings	5° - 35°
24 hour timer	
Window open function	
Over heat protection	
Thermal cut-out protection	
Wall mounted and free standing	
Dimensions	W 820 x D 90 x H 450 MM
Dimensions (with feet)	W 820 x D 220 x H 450 MM

Power	2000 W
Area coverage	15-20 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	Black
Material	Aluminium
Weight	7.2 KG
IP rating	IP24
Cable length	1.5 M
Barcode	8720039604223



TCP BLACK PANEL HEATER 2000W

TCP 2000W Cpnvection Panel Heater. Suitable for both wall mounting and free standing. With weekly programming, a LCD display, and manual controls for efficient heating and convenience.

- **Instant Heat**
- **Weekly Programming**
- **Digital Screen**
- **Temp Settings 5° - 35°**
- **Window Open Function**
- **Anti Frost Mode**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LED
Temperature settings	5° - 35°
Window open function	
Anti frost mode	
Over heat protection	
Thermal cut-out protection	
Wall mounted and free standing	
Dimensions	W 820 x D 90 x H 450 MM
Dimensions (with feet)	W 820 x D 220 x H 450 MM

Power	2000 W
Area coverage	15-20 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	Black
Material	Aluminium
Weight	7.2 KG
IP rating	IP24
Cable length	1.5 M
Barcode	8720039604193



TCP WHITE INFRARED CONVECTION HEATER 2000W

TCP 2000W Panel Heater which uses both infrared and convection heating technology. Suitable for both wall mounting and free standing. With weekly programming, a LCD display, and manual controls for efficient heating and convenience.

- **Instant Heat**
- **Weekly Programming**
- **Digital Screen**
- **Temp Settings 5° - 35°**
- **24 Hour Timer**
- **Window Open Function**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LED
Temperature settings	5° - 35°
24 hour timer	
Window open function	
Over heat protection	
Thermal cut-out protection	
Wall mounted and free standing	
Dimensions	W 820 x D 90 x H 450 MM
Dimensions (with feet)	W 820 x D 220 x H 450 MM

Power	2000 W
Area coverage	15-20 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White
Material	Aluminium
Weight	7.2 KG
IP rating	IP24
Cable length	1.5 M
Product code	TCPWHHEAT2000WSPD06
Barcode	8720039604216



TCP WHITE PANEL HEATER 2000W

TCP 2000W Cpnvection Panel Heater. Suitable for both wall mounting and free standing. With weekly programming, a LCD display, and manual controls for efficient heating and convenience.

- **Instant Heat**
- **Weekly Programming**
- **Digital Screen**
- **Temp Settings 5° - 35°**
- **Window Open Function**
- **Anti Frost Mode**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LED
Temperature settings	5° - 35°
Window open function	
Anti frost mode	
Over heat protection	
Thermal cut-out protection	
Wall mounted and free standing	
Dimensions	W 820 x D 90 x H 450 MM
Dimensions (with feet)	W 820 x D 220 x H 450 MM

Power	2000 W
Area coverage	15-20 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White
Material	Aluminium
Weight	7.2 KG
IP rating	IP24
Cable length	1.5 M
Product code	TCPWHHEAT2000WHPH08
Barcode	8720039604209



TCP WHITE ALUMINIUM PANEL HEATER 2000W

TCP White Aluminium Panel Heater 2000W wall-mounted heater with weekly programming, LCD display, and manual controls for efficient heating and convenience.

- **Instant Heat**
- **Weekly Programming**
- **Digital Screen**
- **Thermostat**
- **24 Hour Timer**
- **Manual Controls**

Product Specifications	
Instant heat	
Weekly programming	
Digital screen	LCD
Temperature settings	5° - 35°
24 hour timer	
Thermal cut-out protection	
Wall mounted	
Dimensions	W 1040 x D 103 x H 450 MM
Power	2000 W
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White

Material	Aluminium
Area coverage	15-20 M²
Weight	9.1 KG
IP rating	IP24
Cable length	1.5 M
Product code	TCPWHHEAT2000WNCQ20
Barcode	8720039604179



TCP DOWNFLOW VERTICAL

TCP Vertical Downflow Wall Heater - Compact ceramic heater with remote control, Ideal for wall mounting in bathrooms and home offices.

- **Instant Heat**
- **2 Heating Modes**
- **Timer**
- **IP24**
- **Digital Screen**
- **Remote**

Product Specifications	
Instant heat	
Timer	
Timer	
Heat modes	2
Digital screen	LCD
Remote control	
Over heat protection	
Open window detection	
Dimensions	W 250 x D 113 x H 325 MM
Power	2000 W
Area coverage	15 M²

Voltage / Frequency	230 V / 50-60Hz
Colour	White
Weight	1.9 KG
IP rating	IP24
Cable length	1.6 M
WiFi	2.4 GHz
Product code	TCPWHHEAT2000BH705E
Barcode	8720039603905



TCP PLINTH HEATER STAINLESS STEEL

TCP Stainless Steel Plinth Heater
Space-saving 2000W heater with 2 heat settings, cool blow, quiet operation. Cool to touch, ideal for kitchens or utility rooms.



2 Heat Settings



Cool To Touch



Digital Screen



Low Noise

Product Specifications

Heat modes	2
Cool to touch	
Digital screen	LCD
Low noise	58dB(A)
Dimensions	W 500 x D 225 x H 100 MM
Power	2000 W
Voltage / Frequency	220-240 V / 50/60Hz
Colour	Silver
Material	Stainless steel
Weight	2.4 KG
IP rating	IPX0

Cable length	1.7 M (no plug)
Product code	TBYPLINHEATUPH201SS
Barcode	8720039602502

TCP PLINTH HEATER STAINLESS STEEL REMOTE

TCP Stainless Steel Plinth Heater
Space-saving 2000W heater with 2 heat settings, cool blow, quiet operation, and remote control. Cool to touch, ideal for kitchens or utility rooms.



2 Heat Settings



Cool To Touch



Digital Screen



Remote



Low Noise

Product Specifications

Heat modes	2
Cool to touch	
Digital screen	LCD
Remote control	
Low noise	58dB(A)
Dimensions	W 500 x D 225 x H 100 MM
Power	2000 W
Voltage / Frequency	220-240 V / 50/60Hz
Colour	Silver
Material	Stainless steel
Weight	2.4 KG

IP rating	IPX0
Cable length	1.7 M (no plug)
Product code	TBYPLINHEATUPH201SS
Barcode	8720039606777



TCP AIR CURTAIN

TCP Screen Heater with remote control 3000W. High level fan heater with remote control. With turbo fan for additional heating. Easy mount bracket.



2 Heat Settings



Remote

Product Specifications			
Heat modes	2	Product code	TCPWHAIRCURTJKTCP3KW
Dimensions	W 580 x D 100 x H 180 MM	Barcode	8720039603929
Power	3000 W		
Voltage / Frequency	230-240 V / 50/60Hz		
Wall mounted			
Colour	White		
Material	Metal		
Weight	3.8 KG		
IP rating	IPX0		
Cable length	1.5 M (no plug)		



AIR CARE



TCP SMART WHITE DEHUMIDIFIER 12L WITH HEPA FILTER

TCP White Smart Wi-Fi Dehumidifier 12L
Powerful 185W compressor dehumidifier with HEPA filter, 12L daily removal, smart controls, 2L tank, and continuous drainage. Compact, quiet, and easy to maintain.



App & Voice Control



Smart Timers & Schedules



Hepa Filter



12L Extraction Per Day



Helps Reduce Moisture, Damp, Condensation & Mould

Product Specifications

TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Moisture extraction per day	12 L
Hepa filter - improves air quality removes air borne pollutants	
Low noise	36 dB(A)
Helps reduce moisture, damp, condensation & mould	
3 modes	Low, med & high 2 fan speeds
Tank capacity	2 L
Continuous extraction with hose	
Wheels for easy portability	

Dimensions	W 255 x D 220 x H 470 MM
Power	185 W
Area coverage	8-12 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White
Weight	11 KG
IP rating	IPX1
Cable length	1.5 M
WiFi	2.4 GHz
Product Code	SMAWDEHUM12LBD023AF
Barcode	8720039609686



TCP SMART WHITE DEHUMIDIFIER 20L

TCP White Smart Wi-Fi Dehumidifier 20L
Powerful 314W compressor dehumidifier with 20L daily removal, smart controls, 4.3L tank, and continuous drainage. Compact, quiet, and user-friendly.



App & Voice Control



Smart Timers & Schedules



20L Extraction Per Day



Low Noise



Helps Reduce Moisture, Damp, Condensation & Mould

Product Specifications

TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Moisture extraction per day	20 L
Low noise	41 dB(A)
Helps reduce moisture, damp, condensation & mould	
3 modes	Low, med & high 2 fan speeds
Tank capacity	4.5 L
Continuous extraction with hose	
Wheels for easy portability	
Dimensions	W 305 x D 235 x H 495 MM

Power	314 W
Area coverage	15-25 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White
Weight	13.5 KG
IP rating	IPX1
Cable length	1.5 M
WiFi	2.4 GHz
Product Code	SMAWDEHUM20LBD068CF
Barcode	8720039609693



TCP WHITE 4 IN 1 AIR CARE

TCP White 4-in-1 Climate Control
Versatile air circulator with HEPA air purifier, heating, cooling, humidifying functions, and remote control.



Heater, Fan, Humidifier & Air Purifier with Mood Light



2 Heat Settings



Hepa Filter



8 Fan Speeds



Oscillation

Product Specifications

Heater, fan, humidifier & air purifier	
Hepa filter - improves air quality removes air borne pollutants	
Anti tilt protection	
Over heat protection	
Oscillation	
Calming mood light	
LED display	
Remote control	
Low noise	56 dB(A)
2 modes	Low & high
Fan speeds	8 fan speeds

Dimensions	W 245 x D 213 x H 600 MM
Power	2000 W
Area coverage	25 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White
Weight	3.4 KG
IP rating	IP20
Cable length	1.5 M
Product code	TCPWH4IN1HYN2304RU
Barcode	8720039606555



TCP WHITE MINI DEHUMIDIFIER

TCP Mini Dehumidifier Compact 1L dehumidifier with semi-conductor cooling, ambient lighting (blue, green, orange, pink, purple, yellow & white), and 0.3ml daily moisture removal.



0.25L Extraction Per Day



7 Ambient Lights



Digital screen



Low Noise



Helps Reduce Moisture, Damp, Condensation & Mould

Product Specifications

Ambient light	7 static colours
Timer	6 / 12 / 24 Hours
Helps reduce moisture, damp, condensation & mould	
Moisture extraction per day	0.25 L
Low noise	36 dB(A)
3 modes	Low, high & sleep
Tank capacity	1 L
Dimensions	W 140 x D 113 x H 249 MM
Power	22.5 W
Area coverage	20 M²
Voltage / Frequency	220-240 V / 50/60Hz

Input	9V, 2.5A
Colour	White
Weight	0.95 KG
IP rating	IPX0
Cable length	1.8 M
Product code	TCPWHDEHUM40001
Barcode	8720039602465



COOLING



TCP BLACK AND SILVER STANDING COOLING FAN

TCP Black & Silver Standing Cooling Fan
Stylish and quiet fan with adjustable height, 3D oscillation, and remote control.



Multi Directional Air Flow & Oscillation



3 Fan Speeds



Whisper Quiet



Remote Control



Adjustable Height

Product Specifications

Multi directional air flow & oscillation	Horizontal & Vertical
3 Fan Speeds	Low, medium & high
Whisper quiet	60 Db
Remote control	
Adjustable height	810 – 1050 MM
12 hour timer	
Digital display	LED
Manual controls	
Fragrance oil holder	
Dimensions	W 330 x D 330 H 810 – 1050 MM
Power	50 W

Area coverage	10-15 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	Black / Silver
Weight	3.75 KG
IP rating	IPX0
Cable length	1.5 M
Product code	TCPFANWHSILFXL2316R
Barcode	8720039604650



TCP WHITE AND SILVER STANDING COOLING FAN

TCP White & Silver Standing Cooling Fan
Stylish and quiet fan with adjustable height, 3D oscillation, and remote control.



Multi Directional Air Flow & Oscillation



3 Fan Speeds



Whisper Quiet



Remote Control



Adjustable Height

Product Specifications

Multi directional air flow & oscillation	Horizontal & vertical
3 Fan Speeds	Low, medium & high
Whisper quiet	60 Db
Remote control	
Adjustable height	810 – 1050 MM
12 hour timer	
Digital display	LED
Manual controls	
Fragrance oil holder	
Dimensions	W 330 x D 330 H 810 – 1050 MM
Power	50 W

Area coverage	10-15 M²
Voltage / Frequency	220-240 V / 50/60Hz
Colour	White / Silver
Weight	3.75 KG
IP rating	IPX0
Cable length	1.5 M
Product code	TCPFANWHSILFXL2316R
Barcode	8720039604971



DECORATIVE BULBS



TCP DECORATIVE LARGE GLOBE IRIDESCENT BULB

TCP Giant Iridescent Effect LED Bulb 4W - offers a warm 1800K glow, providing a vintage look. It is non-dimmable and energy-efficient, perfect for creating a cozy, ambient atmosphere.

- **Decorative Large**
- **Mirror Glass Finish**
- **Warm White**
- **Screw E27 / ES**
- **50 Lumens**

Product Specifications	
Shape	Globe G200
Technology	LED Filament
Finish	Iridescent mirror glass
Colour temperature	Warm white 2700K
Cap	Screw E27 / ES
Lumens	50 LM
Nominal wattage	5 W
Actual wattage	4.6 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 200 x H 241 MM
Product code	DEBLG250IRIE21518N1P
Barcode	8720039604629
Not for general room illumination	
Decorative purposes only	

TCP DECORATIVE TEAR DROP AMBER BULB

TCP Giant Soft LED Filament 4W offers a warm 1800K amber glow, providing a vintage look. It is non-dimmable and energy-efficient, perfect for creating a cozy, ambient atmosphere.

- **Decorative Large**
- **Amber Glass Finish**
- **Warm White**
- **Screw E27 / ES**
- **265 Lumens**

Product Specifications	
Shape	Tear drop S173
Technology	LED Filament
Finish	Amber glass
Colour temperature	Warm white 1800K
Cap	Screw E27 / ES
Lumens	265 LM
Nominal wattage	4 W
Actual wattage	4 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 173 x H 306 MM
Product code	DEBFS173265ATE21518
Barcode	8720039604513
Not for general room illumination	
Decorative purposes only	



TCP DECORATIVE SHORT HORN AMBER BULB

TCP Giant Short Horn LED Filament 4W offers a warm 1800K amber glow, providing a vintage look. It is non-dimmable and energy-efficient, perfect for creating a cozy, ambient atmosphere.

- **Decorative Large**
- **Amber Glass Finish**
- **Warm White**
- **Screw E27 / ES**
- **250 Lumens**

Product Specifications	
Shape	Short horn
Technology	LED Filament
Finish	Iridescent mirror glass
Colour temperature	Warm white 1800K
Cap	Screw E27 / ES
Lumens	250 LM
Nominal wattage	4 W
Actual wattage	4 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 180 x H 180 MM
Product code	DEBFSH250ATE21518N1P
Barcode	8720039604537
Not for general room illumination	
Decorative purposes only	

TCP DECORATIVE T180 AMBER BULB

TCP “One” Series E27 T180 Amber 4W provides a warm 1800K amber glow, non-dimmable and energy-efficient, ideal for creating a cozy, vintage ambiance.

- **Decorative Large**
- **Amber Glass Finish**
- **Warm White**
- **Screw E27 / ES**
- **200 Lumens**

Product Specifications	
Shape	T180
Technology	LED Filament
Finish	Black glass
Colour temperature	Warm white 1800K
Cap	Screw E27 / ES
Lumens	200 LM
Nominal wattage	4 W
Actual wattage	4 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 180 x H 263 MM
Product code	DEBFT180200AVE21518
Barcode	8720039604520
Not for general room illumination	
Decorative purposes only	



TCP DECORATIVE TEAR DROP BLACK BULB

TCP Giant Soft LED Filament 4W Black Glass offers a warm 1800K glow, providing a vintage look. It is non-dimmable and energy-efficient, perfect for creating a cozy, ambient atmosphere.

- **Decorative Large**
- **Black Glass Finish**
- **Warm White**
- **Screw E27 / ES**
- **50 Lumens**

Product Specifications	
Shape	Tear drop S173
Technology	LED Filament
Finish	Black glass
Colour temperature	Warm white 1800K
Cap	Screw E27 / ES
Lumens	50 LM
Nominal wattage	4 W
Actual wattage	4 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 173 x H 306 MM
Product code	DEBFS17350BTE21518
Barcode	8720039604568
Not for general room illumination	
Decorative purposes only	

TCP DECORATIVE SHORT HORN BLACK BULB

TCP Giant Short Horn LED Filament 4W Black Glass offers a warm 1800K glow, providing a vintage look. It is non-dimmable and energy-efficient, perfect for creating a cozy, ambient atmosphere.

- **Decorative Large**
- **Black Glass Finish**
- **Warm White**
- **Screw E27 / ES**
- **30 Lumens**

Product Specifications	
Shape	Short horn
Technology	LED filament
Finish	Iridescent mirror glass
Colour temperature	Warm white 1800K
Cap	Screw E27 / ES
Lumens	30 LM
Nominal wattage	4 W
Actual wattage	4 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 180 x H 180 MM
Product code	DEBFSH30BTE21518N1P
Barcode	8720039604599
Not for general room illumination	
Decorative purposes only	



TCP DECORATIVE T180 BLACK BULB

TCP “One” Series LED Filament 4W Black Glass offers a warm 1800K glow, providing a vintage look. It is non-dimmable and energy-efficient, perfect for creating a cozy, ambient atmosphere.



Decorative Large



Black Glass Finish



Warm White



Screw E27 / ES



20 Lumens

Product Specifications	
Shape	T180
Technology	LED Filament
Finish	Black glass
Colour temperature	Warm white 1800K
Cap	Screw E27 / ES
Lumens	20 LM
Nominal wattage	4 W
Actual wattage	4 W
Energy rating	G
Lifetime	15,000 Hours
Dimmable	Non dimmable

Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 180 x H 239 MM
Product code	DEBFT18020BVE21518
Barcode	8720039604575
Not for general room illumination	
Decorative purposes only	



LIGHTING



TCP BULKHEAD STANDARD

TCP IP65 Bulkhead Light - This eco-friendly, IP65 LED light offers switchable wattage and variable CCT. Suitable for indoor/outdoor use, wall/ceiling mounted. Made with recycled materials.



Quick Install



Multi Wattage



IP65



CCT - Warm to Cool

Product Specifications

Bulkhead	Standard
Emergency	No
Motion sensor	No
Colour temperature	3000K / 4000K / 6000K
Lumens	1100 - 1900 LM
Power	11 W / 15 W / 19 W
IP rating	IP65 / IK10
Lifetime	50,000 Hours
Dimmable	Dimmable via step switch
Beam angle	120°
CRI	80

Working temperature	-10° to 40°C
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 300 x D 300 x H 75 MM
Product Code	TCPWHBULKTPIP65BH300
Barcode	8720039606401



TCP EMERGENCY BULKHEAD

TCP IP65 Bulkhead Light with Emergency - This eco-friendly, IP65 LED light offers emergency auto self test, switchable wattage and variable CCT. Suitable for indoor/outdoor use, wall/ceiling mounted. Made with recycled materials.



Quick Install



Emergency Battery (LIFEP04)



Multi Wattage



IP65



CCT - Warm to Cool

Product Specifications

Bulkhead	Emergency
Emergency	Battery LIFEP04
Motion sensor	No
Colour temperature	3000K / 4000K / 6000K
Lumens	1100 - 1900 LM
Power	13.5 W / 17.5 W / 21.5 W
IP rating	IP65 / IK10
Lifetime	50,000 Hours
Dimmable	Dimmable via step switch
Beam angle	120°
CRI	80

Working temperature	-10° to 40°C
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 300 x D 300 x H 75 MM
Product Code	TCPWHBULKTPBH300EM
Barcode	8720039609747



TCP BULKHEAD WITH MOTION SENSOR

TCP IP65 Bulkhead Light with Microwave Sensor - This eco-friendly, IP65 LED light offers switchable wattage and variable CCT. Suitable for indoor/outdoor use, wall/ceiling mounted. Made with recycled materials.

- **Quick Install**
- **Microwave Motion Sensor**
- **Multi Wattage**
- **IP65**
- **CCT - Warm to Cool**

Product Specifications	
Bulkhead	Motion sensor
Emergency	No
Motion sensor	Microwave motion sensor
Colour temperature	3000K / 4000K / 6000K
Lumens	1100 - 1900 LM
Power	11 W / 15 W / 19 W
IP rating	IP65 / IK10
Lifetime	50,000 Hours
Dimmable	Dimmable via step switch
Beam angle	120°
CRI	80

Working temperature	-10° to 40°C
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 300 x D 300 x H 75 MM
Product Code	TCPWHBULKTPBH300MW
Barcode	8720039609471



TCP EMERGENCY BULKHEAD WITH MOTION SENSOR

TCP IP65 Bulkhead Light with Emergency - This eco-friendly, IP65 LED light offers emergency auto self test, switchable wattage and variable CCT. Suitable for indoor/outdoor use, wall/ceiling mounted. Made with recycled materials.

- **Quick Install**
- **Emergency Battery (LIFEP04)**
- **Microwave Motion Sensor**
- **Multi Wattage**
- **IP65**
- **CCT - Warm to Cool**

Product Specifications	
Bulkhead	Emergency motion sensor
Emergency	Battery LIFEP04
Motion sensor	Microwave motion sensor
Colour temperature	3000K / 4000K / 6000K
Lumens	1100 - 1900 LM
Power	14 W / 18 W / 22 W
IP rating	IP65 / IK10
Lifetime	50,000 Hours
Dimmable	Dimmable via step switch
Beam angle	120°
CRI	80

Working temperature	-10° to 40°C
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 300 x D 300 x H 75 MM
Product Code	TCPWHBULKTPBH300MWEM
Barcode	8720039609877



TCP OUTDOOR FLOODLIGHT

Easy installation with a screwless terminal connector, made from recycled materials. IP65 rated for indoor/outdoor use, and has a tempered glass diffuser for enhanced durability.



Quick Install



IP65



Screwless Terminal



Mixed Recycle Materials

Product Specifications	TCPLIGHT10W3434	TCPLIGHT20W3340	TCPLIGHT30W3443	TCPLIGHT50W3446
PIR motion sensor	No	No	No	No
Lumens	1600 LM	3200 LM	4800 LM	8000 LM
Colour temperature	4000K	4000K	4000K	4000K
Power	10w	20w	30w	50w
IP rating	IP65 / IK10	IP65 / IK10	IP65 / IK10	IP65 / IK10
Lifetime	30,000 Hours	30,000 Hours	30,000 Hours	30,000 Hours
Dimmable	Non dimmable	Non dimmable	Non dimmable	Non dimmable
Beam angle	120°	120°	120°	120°
CRI	70	70	70	70
Energy rating	C	C	C	C
Voltage / Frequency	220-240 V / 50/60Hz	220-240 V / 50/60Hz	220-240 V / 50/60Hz	220-240 V / 50/60Hz
Dimensions	W 130 x D 58 x H 108 MM	W 130 x D 89 x H 170 MM	W 185 x D 58 x H 130 MM	W 218 x D 58 x H 209 MM
Barcode	8720039606623	8720039606678	8720039607316	8720039607606



TCP FLOODLIGHT WITH PIR MOTION SENSOR

Easy installation with a screwless terminal connector, made from recycled materials. IP44 rated for indoor/outdoor use, and has a tempered glass diffuser for enhanced durability.



Quick Install



PIR Motion Sensor



IP44



Screwless Terminal




Mixed Recycle Materials



8m Sensor Range

Product Specifications	TCPLIGHT10WPIR8287	TCPLIGHT20WPIR8290	TCPLIGHT30WPIR8293	TCPLIGHT50WPIR8296
PIR motion sensor	Yes	Yes	Yes	Yes
Lumens	1600 LM	3200 LM	4800 LM	8000 LM
Colour temperature	4000K	4000K	4000K	4000K
Power	10w	20w	30w	50w
IP rating	IP44 / IK10	IP44 / IK10	IP44 / IK10	IP44 / IK10
Lifetime	30,000 Hours	30,000 Hours	30,000 Hours	30,000 Hours
Dimmable	Non dimmable	Non dimmable	Non dimmable	Non dimmable
Beam angle	120°	120°	120°	120°
CRI	70	70	70	70
Energy rating	C	C	C	C
Voltage / Frequency	220-240 V / 50/60Hz	220-240 V / 50/60Hz	220-240 V / 50/60Hz	220-240 V / 50/60Hz
Dimensions	W 130 x D 89 x H 170 MM	W 130 x D 89 x H 170 MM	W 185 x D 89 x H 192 MM	W 218 x D 89 x H 215 MM
Barcode	8720039606654	8720039606944	8720039607590	8720039607613



TCP WHITE UP DOWN WALL LIGHT

The TCP White Up and Down Wall Light - made from durable polycarbonate and 85% recycled materials. It features easy push-fit installation and requires an E14/SES bulb (max 18W).

- **Quick Install**
- **E14 / SES Cap Type**
- **18w Max**
- **1 Year Guarantee**
- **Made with 85% Recycled Material**

Product Specifications	
Quick install with wall bracket and push down light	
Finish	White
Cap type	Small Screw E14 / SES
Power	Max 18 W
IP rating	IP20
Lifetime	30,000 Hours
Dimmable	Non dimmable
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Start up time	0 Seconds
Dimensions	W 268 x D 101 x H 90 MM

Product code	TCPWHUPDOWNW0002AM
Barcode	8720039606531



TCP WHITE 3 TIER WALL LIGHT

The TCP White 3-Tier Wall Light - made from durable polycarbonate and 85% recycled materials. It features easy push-fit installation and requires an E14/SES bulb (max 18W).

- **Quick Install**
- **E14 / SES Cap Type**
- **18w Max**
- **1 Year Guarantee**
- **Made with 85% Recycled Material**

Product Specifications	
Quick install with wall bracket and push down light	
Finish	White
Cap type	Small Screw E14 / SES
Power	Max 18 W
IP rating	IP20
Lifetime	30,000 Hours
Dimmable	Non dimmable
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Start up time	0 Seconds
Dimensions	W 252 x D 106 x H 85 MM

Product code	TCPWHWALLLIGHTW0003AM
Barcode	8720039606593



TCP INTEGRATED LED PENDANT LIGHT

The TCP Black Hanging Pendant 15W - Features an adjustable cable length (100-1500mm), is made from 90% recycled materials, and has an IP20 rating. It offers easy installation and a sleek matt black finish."



Quick Install



Integrated LED Light



CCT - Warm to Cool



Adjustable Cable Length




Made with 90% Recycled Material

Product Specifications

Colour temperature	2700K / 3200K / 4000K
Technology	LED
Finish	Matt black
Lumens	3200 LM
Power	15 W
IP rating	IP20
Lifetime	30,000 Hours
Dimmable	Non dimmable
CRI	80
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz

Dimensions (Min)	W 250 x D 250 x H 140 MM
Dimensions (Max)	W 250 x D 250 x H 1640 MM
Energy rating	E
Product code	TCPBLPEND15WPDR09250
Barcode	8720039606456



TCP MIRROR TUBE LIGHTS

Sleek design, cool 4000K light, and easy push-fit connection. Wall-mounted, IP44 rated.



Quick Install



Soft Beauty Light



8w / 12w



IP44



1 Year Guarantee




Push Fit Terminal

Product Specifications

Colour temperature	4000K
IP rating	IP44
Lifetime	30,000 Hours
Dimmable	Non dimmable
CRI	80

Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Energy rating	D

Product code	TCPWHMIRRO8WML002AM	TCPWHMIRRO12WML002BM
Power	8 W	12 W
Lumens	800 LM	1200 LM
Dimensions	W 400 x D 100 x H 45 MM	W 600 x D 100 x H 45 MM
Barcode	8720039606425	8720039606432



TCP DUSK TILL DAWN BULB

Automatically turns on at sunset and turns off at sunrise, Perfect for landings / hallways, porches, garden lamps and when homes are empty.



Dusk Till Dawn



Screw E27 / ES



Warm White



806 Lumens

Product Specifications

Shape	Classic
Technology	LED dusk till dawn
Finish	Coated
Colour temperature	Warm white 2700K
Cap	Screw E27 / ES
Lumens	806 LM
Nominal wattage	9 W
Actual wattage	9 W
EQ Wattage	60 W
Energy rating	E
Lifetime	15,000 Hours

Dimmable	Non dimmable
Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 160 x H 108 MM
Product code	TCPLA800DDE21527N1P
Barcode	8720039604162



TCP MOTION SENSOR BULB

Automatically turns on when motion is detected.

1. Motion detected
2. Light turns on for 30 seconds
3. Light turns off automatically after no motion detected



Motion Sensor



Screw E27 / ES



Warm White



806 Lumens

Product Specifications

Shape	Classic
Technology	LED motion sensor
Finish	Coated
Colour temperature	Warm white 2700K
Lumens	806 LM
Nominal wattage	9 W
Actual wattage	9 W
EQ Wattage	60 W
Energy rating	E

Lifetime	15,000 Hours
Dimmable	Non dimmable
Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 160 x H 108 MM

Product code	TCPLA806MSE21527N1P	TCPLA806MSB21527N1P
Cap	Screw E27 / ES	Bayonet B22 / BC
Barcode	8720039604155	8720039604148



TCP CLASSIC BULBS

Product Specifications			
Shape	Classic	Start up time	0 Seconds
CRI	80	Voltage / Frequency	220-240 V / 50/60Hz
Mercury (Hg)	0 MG	Lumen Cone	360°

Product code	Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
672245	Filament	B22 / BC	Glass	2700	806	7	6.4	60	F	Dim	15,000	360°	60 x 108	1	8720039602182
672247	Filament	B22 / BC	Glass	6500	806	7	6.4	60	F	Dim	15,000	360°	60 x 108	1	8720039602199
672248	Filament	E27 / ES	Glass	6500	806	7	6.4	60	F	Dim	15,000	360°	60 x 108	1	8720039602205
672228	LED	B22 / BC	Coated	2700	1521	13	12.6	100	E	Dim	15,000	360°	60 x 118	1	8720039602069
672230	LED	E27 / ES	Coated	2700	1521	13	12.6	100	E	Dim	15,000	360°	60 x 118	1	8720039602076
500311	LED	B22 / BC	Coated	2700	810	8	7.9	60	F	Non dim	15,000	360°	60 x 108	2	8719638018951
599420	LED	B22 / BC	Coated	6500	810	8	7.9	60	F	Non dim	15,000	360°	60 x 108	2	8720039606586
500309	LED	B22 / BC	Coated	2700	470	5	4.8	40	F	Non dim	15,000	360°	60 x 108	2	8719638018913
599415	LED	E27 / ES	Coated	6500	470	5	4.8	40	F	Non dim	25,000	360°	60 x 108	2	8720039606463



TCP CANDLE BULBS

Product Specifications			
Shape	Candle	Start up time	0 Seconds
CRI	80	Voltage / Frequency	220-240 V / 50/60Hz
Mercury (Hg)	0 MG	Lumen Cone	360°

Product code	Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
343099	Filament	E14 / SES	Glass	2700	470	4	3.9	40	E	Non dim	15,000	360°	35 x 96	1	8718734098768
672256	Filament	E14 / SES	Glass	2700	470	4	3.9	64	E	Non dim	15,000	360°	35 x 96	5	8720039602274
672254	Filament	B22 / BC	Glass	2700	806	7	6.4	60	E	Dim	15,000	360°	35 x 90	1	8720039602250
672255	Filament	E27 / ES	Glass	2700	806	7	6.4	60	E	Dim	15,000	360°	35 x 90	1	8720039602267
500332	LED	E27 / ES	Coated	2700	470	5	4.8	40	F	Non dim	15,000	360°	35 x 98	2	8720039605107
672231	LED	B22 / BC	Coated	6500	470	5	4.8	40	F	Non dim	15,000	360°	35 x 96	2	8720039602373
599442	LED	E14 / SES	Coated	6500	470	5	4.8	40	F	Non dim	15,000	360°	35 x 101	2	8720039602397
672233	LED	wE27 / ES	Coated	6500	470	5	4.8	40	F	Non dim	15,000	360°	35 x 96	2	8720039602380



TCP GU10 BULBS

Product Specifications			
Shape	GU10	Start up time	0 Seconds
CRI	80	Voltage / Frequency	220-240 V / 50/60Hz
Mercury (Hg)	0 MG	Lumen Cone	90°

Product code	Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
672210	LED	GU10	White	2700	250	4	3.3	35	F	Non dim	25,000	36°	50 x 54	2	8720039600232
672212	LED	GU10	White	6500	250	4	3.3	35	F	Non dim	25,000	36°	50 x 54	2	8720039600249
672221	LED	GU10	White	2700	345	5	4.4	50	G	Non dim	15,000	36°	50 x 54	2	8720039607866
672223	LED	GU10	White	2700	345	5	4.4	50	G	Non dim	15,000	36°	50 x 54	5	8720039602038
672225	LED	GU10	White	6500	345	5	4.4	50	G	Non dim	15,000	36°	50 x 54	2	8720039602045
672226	LED	GU10	White	6500	345	5	4.4	50	G	Non dim	15,000	36°	50 x 54	5	8720039602052
672214	LED	GU10	Glass	6500	345	5	4.4	50	F	Dim	25,000	38°	50 x 54	2	8720039600263
672213	LED	GU10	Glass	2700	345	5	4.4	50	F	Dim	25,000	38°	50 x 54	2	8720039600256
672215	LED	GU10	Glass	2700	345	5	4.4	50	F	Non dim	25,000	38°	50 x 54	2	8720039602717
672217	LED	GU10	Glass	2700	345	5	4.4	50	F	Non dim	25,000	38°	50 x 54	5	8720039607835
672218	LED	GU10	Glass	6500	345	5	4.4	50	F	Non dim	25,000	38°	50 x 54	2	8720039607842
672220	LED	GU10	Glass	6500	345	5	4.4	50	F	Non dim	25,000	38°	50 x 54	5	8720039607859

TCP MR16 BULBS

Product Specifications			
Shape	MR16	Start up time	0 Seconds
CRI	80	Voltage / Frequency	12 V / 50/60Hz
Mercury (Hg)	0 MG	Lumen Cone	90°

Product code	Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
672205	LED	MR16	Coated	2700	345	5	4.9	50	E	Non dim	25,000	36°	50 x 48	2	8720039600195
672206	LED	MR16	Coated	2700	345	5	4.9	50	E	Non dim	25,000	36°	50 x 48	5	8720039600201
672207	LED	MR16	Coated	6500	345	5	4.9	50	E	Non dim	25,000	36°	50 x 48	2	8720039600218
672209	LED	MR16	Coated	6500	345	5	4.9	50	E	Non dim	25,000	36°	50 x 48	5	8720039600225



TCP MINI GLOBE BULBS

Product Specifications																
Shape				Mini Globe				Start up time				0 Seconds				
CRI				80				Voltage / Frequency				220-240 V / 50/60Hz				
Mercury (Hg)				0 MG				Lumen Cone				360°				
Product code		Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
672261	Filament	B22 / BC	Glass		2700	470	4	4	40	E	Non dim	15,000	360°	45 x 80	1	8718734099819

TCP R63 BULBS

Product Specifications																
Shape				R63				Start up time				0 Seconds				
CRI				80				Voltage / Frequency				220-240 V / 50/60Hz				
Mercury (Hg)				0 MG				Lumen Cone				360°				
Product code		Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
TCALR6470WOE22527N1P		LED	E27 / ES	Coated	2700	470	5	4.7	40	E	Non dim	25,000	360°	63 x 100	1	8719638010610



TCP T8 TUBES

Product Specifications																
Shape				T8 Tube				Start up time				0 Seconds				
CRI				80				Voltage / Frequency				220-240 V / 50/60Hz				
Mercury (Hg)				0 MG				Lumen Cone				360°				
Product code		Tech	Cap	Finish	Colour Temp (K)	Lumens (LM)	Nominal (W)	Actual (W)	EQ (W)	Energy Rating	Dimmable	Lifetime (Hrs)	Beam Angle	Dimensions (MM)	Pack Size	Barcode
TCALT8800WO2540N1P		LED	T8	Coated	4000	800	8	8		F	Non dim	25,000	360°	28 x 602	1	8720039607521



TCP SMART LIGHTING



TCP SMART BULB RGB COLOUR CHANGER & CCT SCREW

TCP Smart Colour Changing bulb with a choice of 16 million colours or warm to daylights. Can be controlled with your voice or the TCP Smart App.

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
Real time energy and cost monitoring	
TCP Smart app control	iOS & Android
Smart schedules & timers	
Shape	Classic
Technology	LED / smart
Finish	Coated
Colour temperature	RGB / CCT warm to daylight
Cap	Screw E27 / ES
Lumens	806 LM
Actual wattage	9 W
EQ Wattage	60 W

- **App & Voice Control**
- **RGB Colour Changer**
- **CCT Warm to Daylight**
- **Music Sync**
- **806 Lumens**
- **Smart Timers & Schedules**

Energy rating	F
Lifetime	15,000 Hours
Dimmable	Dimmable via TCP Smart app
Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 60 x H 112 MM
WiFi	2.4 GHz
Product code	SMBWLA806WOB215RCN1P
Barcode	8720039604063



TCP SMART BULB RGB COLOUR CHANGER & CCT SCREW

TCP Smart Colour Changing bulb with a choice of 16 million colours or warm to daylights. Can be controlled with your voice or the TCP Smart App.

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
Real time energy and cost monitoring	
TCP Smart app control	iOS & Android
Smart schedules & timers	
Shape	Classic
Technology	LED / smart
Finish	Coated
Colour temperature	RGB / CCT warm to daylight
Cap	Bayonet B22 / BC
Lumens	806 LM
Actual wattage	9 W
EQ Wattage	60 W

- **App & Voice Control**
- **RGB Colour Changer**
- **CCT Warm to Daylight**
- **Music Sync**
- **806 Lumens**
- **Smart Timers & Schedules**

Energy rating	F
Lifetime	15,000 Hours
Dimmable	Dimmable via TCP Smart app
Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	220-240 V / 50/60Hz
Dimensions	W 60 x H 112 MM
WiFi	2.4 GHz
Product code	SMBWLA806WOB215RCN1P
Barcode	8720039604056




TCP SMART STRIP LIGHT RGB COLOUR CHANGER & CCT

TCP Smart Colour Changing Strip Light with a choice of 16 million colours or warm to daylights. Can be controlled with your voice or the TCP Smart App.

- **App & Voice Control**
- **CCT Warm to Daylight**
- **1050 Lumens**
- **RGB Colour Changer**
- **Music Sync**
- **Smart Timers & Schedules**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
Real time energy and cost monitoring	
TCP Smart app control	iOS & Android
Smart schedules & timers	
Shape	Strip Light
Strip length	3 metres
Technology	LED / smart
Colour temperature	RGB / CCT warm to daylight
Lumens	1050 LM
Nominal wattage	13 W
IP rating	IP20
Energy rating	F

Lifetime	15,000 Hours
Dimmable	Dimmable via TCP Smart app
Lumen cone	360°
CRI	80
Mercury (Hg)	0 MG
Start up time	0 Seconds
Voltage / Frequency	12 V / 50/60Hz
Dimensions	W 10 x H 3000 MM
WiFi	2.4 GHz
Product code	SMAWTLRGBWIP203MUK
Barcode	8720039608023



**TCP SMART
ELECTRICAL**



TCP SMART PLUG WITH ENERGY MONITORING

TCP Smart Plug can add smart functionality to any electrical item with a plug, any energy used can be monitored in the app. Can be controlled with your voice or the TCP Smart App and add smart schedules and timers.

-  **App & Voice Control**
-  **Smart Timers & Schedules**
-  **On / Off Switch**
-  **Energy Monitoring**
-  **1 Gang**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
Real time energy and cost monitoring	
TCP Smart app control	iOS & Android
Smart schedules & timers	
Swieth	1 gang
On / Off switch	Yes
Fuse	13 Amp
Voltage / Frequency	100-240 V / 50/60Hz
Rated power	3250 W
Dimensions	W 55 x D 55 x H 58 MM
WiFi	2.4 GHz

BS 1363-3	
Product code	SMAWISSINWMONITOR
Barcode	8720039609709

TCP SMART PLUG

TCP Smart Plug can add smart functionality to any electrical item with a plug. Can be controlled with your voice or the TCP Smart App and add smart schedules and timers.

-  **App & Voice Control**
-  **Smart Timers & Schedules**
-  **1 Gang**
-  **On / Off Switch**

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Swieth	1 gang
On / Off switch	Yes
Fuse	13 Amp
Voltage / Frequency	100-240 V / 50/60Hz
Rated power	3250 W
Dimensions	W 55 x D 55 x H 58 MM
WiFi	2.4 GHz
BS 1363-3	

Product code	WISSINWUK
Barcode	8719638018821



TCP SMART SINGLE SWITCH

Replace a standard switch with the TCP Smart Switch to add smart functionality. Can be controlled with your voice or the TCP Smart App and add smart schedules and timers.



App & Voice Control



Smart Timers & Schedules



1 Gang



On / Off Switch



Crystal Tempered Glass

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Switch	1 gang
On / Off switch	Yes
Finish	Crystal tempered glass
Voltage / Frequency	220-240 V / 50/60Hz
Rated power	1000 W
Dimensions	W 86 x D 41 x H 86 MM
WiFi	2.4 GHz
BS 1363-3	

Product code	WWSSINWUK
Barcode	8719638018838

TCP SMART DOUBLE SWITCH

Replace a standard switch with the TCP Smart Switch to add smart functionality. Can be controlled with your voice or the TCP Smart App and add smart schedules and timers.



App & Voice Control



Smart Timers & Schedules



2 Gang



On / Off Switch



Crystal Tempered Glass

Product Specifications	
TCP Smart voice control	Alexa, Google Home & Siri Shortcuts
TCP Smart app control	iOS & Android
Smart schedules & timers	
Switch	2 gang
On / Off switch	Yes
Finish	Crystal tempered glass
Voltage / Frequency	220-240 V / 50/60Hz
Rated power	1000 W
Dimensions	W 86 x D 41 x H 86 MM
WiFi	2.4 GHz
BS 1363-3	

Product code	WWSDOUWUK
Barcode	8719638018845

